Declaration of Compliance

No. 0010/01

Manufacturer, according to rating plate and subject to brand:
Robert Bosch Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany

Authorized Representative:
BSH HAUSGERÄTE GmbH, Carl-Wery-Straße 34, 81739 München, DE

This declaration of compliance is issued under the sole responsibility of the manufacturer.

Declared appliance:

Stirring Machine **Type: CNSM20**

The product is in conformity with the applicable provisions of the following legislative acts:

- **(EC) No. 1935/2004 Commission Regulation** of the European parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC;
- **(EC) No. 2023/2006 Commission Regulation** of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food;
- **(EU) No. 10/2011 Commission Regulation** of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2012, 202/2014, 2015/174, 2016/1416, 2017/752, 2018/79, 2018/213, 2018/831, 2019/37, 2019/988, 2020/1245).
- **Guide on Metals and alloys used in food contact materials and articles**, European Directorate for the Quality of Medicines & HealthCare (EDQM), Council of Europe, Strasbourg 2013.

Dual use additives are specified for specific plastic material.

The appliance is intended to come in contact with:
- all kind of foodstuff, temperature up to 80°C and exposition time (average time of processing food) 1,5 min;
- all kind of foodstuff, room temperature and exposition time (storage) up to 24 hours.

Below listed plastic materials are used in this appliance:

- **PP MOPLENHP501H NATUR, Declaration of Compliance No.: 0008/01, date of issue:18.08.2020**
- **SAN LURAN 368R TR 750007, Declaration of Compliance No.: 0010/01, date of issue: 30.10.2020**
- **ZYTEL FG 70G30 HSR3BK 309, Declaration of Compliance No.: 0010/03, date of issue: 30.10.2020**
- **TPE TF6 CGN, Declaration of Compliance No.: 9609/118, date of issue: 11.08.2017**
- **PCTG TRITAN TX1001 TRANSP, Declaration of Compliance No.: 0008/02, date of issue: 18.08.2020**
- **ABS TERLURAN GP-35 NATUR, Declaration of Compliance No.: 0010/02, date of issue: 30.10.2020**

Nazarje, 30 October 2020.

Tomaž Stenšak (PCP-FDQ)
Head of PCP-FDQ

Toni Pogačar (PCP-FDT)
Head of PCP-FDT

Declaration of Compliance

No. 0008/01

Plastic material (Annex IV, 3):

PP MOPLEN HP501H NATUR (BSH Code: 5091431534)

Manufacturer (Annex IV, 2):

LYONDELL BASELL, Basell Sales & Marketing Company B.V., Delftseplein 27E 3013 AA, Rotterdam, Netherlands

Business operator (Annex IV, 1):

BSH HAUSGERÄTE GmbH, Carl-Wery-Straße 34, 81739 München, DE

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts (Annex IV, 5):

- **(EC) No. 1935/2004 Regulation** of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC;
- **(EC) No. 2023/2006 Commission Regulation** of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food;
- **(EU) No. 10/2011 Commission Regulation** of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2012, 202/2014, 2015/174, 2016/1416, 2017/752, 2018/79, 2018/213, 2018/831, 2019/37, 2019/988, 2020/1245).

Specifications on the use of the material (Annex IV, 8):

- **For all kind of foodstuff, temperature up to 70°C, and exposition time of 2 hours, surface contact with volume of used simulants: 0,11 dm²/100ml.**

Declared substances from Commission Regulation No. 10/2011 (Annex IV, 6):

***9,9-bis(methoxymethyl)fluorene (FCM 779, Ref. No.: 39815, CAS No.: 0182121-12-6): SML mg/kg = 0,05**
***expressed as Aluminium; SML mg/kg=1**
***Calcium salts of fatty acids E470a**

- Analytic results (Annex IV, 7) are given in the **Test report No.: 18/126413, issued by NLZOH Maribor, date: 09.01.2019.**

- This material is used as single layer (Annex IV, 9).

Nazarje, 18 August 2020 (Annex IV, 4)

Kristina Petek (SI/TE-AP)
Approbation Department

Declaration of Compliance

No. 0010/01

Plastic material (Annex IV, 3):

SAN LURAN 368R TR 750007 (BSH Code: 8001193470)

Manufacturer (Annex IV, 2):

INEOS STYROLUTION Group GmbH, Mainzer Landstrasse 50, 60325 Frankfurt am Main, DE

Business operator (Annex IV, 1):

BSH HAUSGERÄTE GmbH, Carl-Wery-Straße 34, 81739 München, DE

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts (Annex IV, 5):

- **(EC) No. 1935/2004 Regulation** of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC;
- **(EC) No. 2023/2006 Commission Regulation** of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food;
- **(EU) No. 10/2011 Commission Regulation** of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2012, 202/2014, 2015/174, 2016/1416, 2017/752, 2018/79, 2018/213, 2018/831, 2019/37, 2019/988, 2020/1245).

Specifications on the use of the material (Annex IV, 8):

- **For all kind of foodstuff, temperature up to 70°C, and exposition time of 2 hours, surface contact with volume of used simulants: 0,80 dm²/100ml.**

Declared substances from Commission Regulation No. 10/2011 (Annex IV, 6):

***Acrylonitrile (FCM 225, Ref. No.: 121000, CAS No.: 107-13-1): SML mg/kg = ND**

- Analytic results (Annex IV, 7) are given in the **Test report No.: 20/83206, issued by NLZOH Maribor, date: 26.10.2020.**

- This material is used as single layer (Annex IV, 9).

Nazarje, 30 October 2020 (Annex IV, 4)

Kristina Petek (SI/TE-AP)
Approbation Department



Declaration of Compliance

No. 0010/03

Plastic material (Annex IV, 3):

ZYTEL FG 70G30 HSR3BK 309 (BSH Code: 8001037686)

Manufacturer (Annex IV, 2):

DUPONT SPECIALTY PRODUCTS OPERATIONS SARL 2, chemin du Pavillon, 1218 Le Grand-Saconnex / Geneva, CH

Business operator (Annex IV, 1):

BSH HAUSGERÄTE GmbH, Carl-Wery-Straße 34, 81739 München, DE

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts (Annex IV, 5):

- **(EC) No. 1935/2004 Regulation** of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC;
- **(EC) No. 2023/2006 Commission Regulation** of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food;
- **(EU) No. 10/2011 Commission Regulation** of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2012, 202/2014, 2015/174, 2016/1416, 2017/752, 2018/79, 2018/213, 2018/831, 2019/37, 2019/988, 2020/1245).

Specifications on the use of the material (Annex IV, 8):

- **For all kind of foodstuff, temperature up to 100°C and exposition time of 2 hours, surface contact with volume of used simulants: 0,80 dm²/100ml.**

Declared substances from Commission Regulation No. 10/2011 (Annex IV, 6):

***Hexamethylenediamine (FCM 305, Ref. No.: 15274/18460, CAS No.: 124-09-4): SML mg/kg = 2,4**
***Acrylonitrile (FCM 225, Ref. No.: 12100, CAS No.: 107-13-1): SML mg/kg= 0**
***_p_-cresol-dicyclopentadiene-isobutylene, copolymer (FCM 732,Ref No.: 45450, CAS No.: 68610-51-5): SML mg/kg= 5**
***E355 Adipic Acid**
***Caprolactam (FCM 212, Ref. No.: 14200/41840, CAS No.: 0000105-60-2): SML (T) mg/kg= 15**
***2,6-di-tert-butyl-p-cresol (FCM 315, Ref. No.: 46640, CAS No.: 0000128-37-0): SML mg/kg= 3**

- Analytic results (Annex IV, 7) are given in the **Test report No.: 20/62254, issued by NLZOH Maribor, date: 03.09.2020.**

- This material is used as single layer (Annex IV, 9).

Nazarje, 30 October 2020 (Annex IV, 4)

Kristina Petek (SI/TE-AP)
Approbation Department



Declaration of Compliance

No. 9609/118

The **TPE TF6 CGN**

Manufacturer: Kraiburg TPE GmbH

Applicant:
BSH Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 München, Germany

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts:

- **(EC) No 1935/2004 Regulation** of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- **(EC) No 2023/2006 Commission Regulation** of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- **(EU) No 10/2011 Commission Regulation** of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2014, 202/2014, 2015/174, 2016/1416, 2017/752).

Specifications on the use of the material:
- For all kind of foodstuff, temperature up to 70°C, and exposition time of 2 h, surface contact with volume of used simulants: 0,8dm²/100ml.

Declared substances from Commission Regulation No 10/2011:
***Phthalic acid, dibutyl ester (FCM 157, Ref.No.: 0000107-13-1): SML = /**
***Styrene (FCM 193, Ref.No.: 0000107-13-1): SML = /**
***Butadiene (FCM 223, Ref.No.: 0000106-99-0): SML = ND**
***Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (FCM 433, Ref.No.: 0002082-79-3): SML = 6 mg/kg**
***2-(2′-hydroxy-3′-tert-butyl-5′-methylphenyl)-5-chlorobenzotriazole (FCM 470, Ref.No.: 0003896-11-5): SML = 30 mg/kg (expressed as the sum of the substances)**
***Silicon dioxide (FCM 504, Ref.No.: 0007631-86-9): SML = /**
***4,4′-butylidene-bis(6-tert-butyl-3-methylphenyl-ditridecyl phosphite) (FCM 608, Ref.No.:0013003-12-8): SML = 6 mg/kg**
***1-(2-hydroxyethyl)-4-hydroxy-2,2,6,6-tetramethyl piperidine-succinic acid, dimethyl ester, copolymer (FCM 716, Ref.No.: 0065447-77-0): SML = 30 mg/kg**

- Analytic results are given in the Statement of Compliance No.: 15/20367 issued by NLZOH Maribor, date: 17 november 2015
- This material is used as single layer.

Nazarje, 11 August 2017

Mr.Sci. ***Danilo Kraner*** *univ.dipl.ing.*
Head of Approval (SI/TE-AP)
BSH Hausgeräte GmbH

Declaration of Compliance

No. 0008/02

Plastic material (Annex IV, 3):

PCTG TRITAN TX1001 TRANSP. (BSH Code: 9000855011)

Manufacturer (Annex IV, 2):

EASTMAN CHEMICAL COMPANY, 200 South Wilcox Drive, Kingsport, TN 37660, USA

Business operator (Annex IV, 1):

BSH HAUSGERÄTE GmbH, Carl-Wery-Straße 34, 81739 München, DE

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts (Annex IV, 5):

- **(EC) No. 1935/2004 Regulation** of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC;
- **(EC) No. 2023/2006 Commission Regulation** of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food;
- **(EU) No. 10/2011 Commission Regulation** of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2012, 202/2014, 2015/174, 2016/1416, 2017/752, 2018/79, 2018/213, 2018/831, 2019/37, 2019/988, 2020/1245).

Specifications on the use of the material (Annex IV, 8):

- **For all kind of foodstuff, temperature up to 100°C, and exposition time of 2 hours, surface contact with volume of used simulants: 0,80 dm²/100ml.**

Declared substances from Commission Regulation No. 10/2011 (Annex IV, 6):

***terephthalic acid, dimethyl ester (FCM 288, Ref. No.: 24970, CAS No.: 0000120-61-6): SML mg/kg = ND**
***1,4-bis(hydroxymethyl) cyclohexane (FCM 210, Ref. No.: 13390, CAS No.: 0000105-08-8):SML mg/kg= ND**
***2,2,4,4-tetramethylcyclobutane-1,3-diol (FCM 881,Ref No.: 25187, CAS No.: 0003010-96-6: SML mg/kg= 5**

- Analytic results (Annex IV, 7) are given in the **Test report No.: 19/149385, issued by NLZOH Maribor, date: 21.02.2020.**

- This material is used as single layer (Annex IV, 9).

Nazarje, 18 August 2020 (Annex IV, 4)

Kristina Petek (SI/TE-AP)
Approbation Department

Declaration of Compliance

No. 0010/02

Plastic material (Annex IV, 3):

ABS TERLURAN GP-35 (BSH Code: 5090482345)

Manufacturer (Annex IV, 2):

INEOS STYROLUTION Group GmbH, Mainzer Landstrasse 50, 60325 Frankfurt am Main, DE

Business operator (Annex IV, 1):

BSH HAUSGERÄTE GmbH, Carl-Wery-Straße 34, 81739 München, DE

The designated product as delivered is in conformity with the applicable provisions of the following legislative acts (Annex IV, 5):

- **(EC) No. 1935/2004 Regulation** of the european parliament and of the council of 27 october 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC;
- **(EC) No. 2023/2006 Commission Regulation** of 22 december 2006 on good manufacturing practice for materials and articles intended to come into contact with food;
- **(EU) No. 10/2011 Commission Regulation** of 14 January 2011 on plastic materials and articles intended to come into contact with food (amended with regulations: 321/2011, 1282/2011, 1183/2012, 202/2014, 2015/174, 2016/1416, 2017/752, 2018/79, 2018/213, 2018/831, 2019/37, 2019/988, 2020/1245).

Specifications on the use of the material (Annex IV, 8):

- **For all kind of foodstuff, temperature up to 40°C and exposition time of 10 days, temperature 60°C and exposition time of 10 days, surface contact with volume of used simulants: 0,80 dm²/100ml.**

Declared substances from Commission Regulation No. 10/2011 (Annex IV, 6):

***Butadiene (FCM 223, Ref. No.: 13630, CAS No.: 106-99-0): SML mg/kg = ND, with a specific restriction for this substance of 1 mg/kg in final product**

***Acrylonitrile (FCM 225, Ref. No.: 12100, CAS No.: 107-13-1): SML mg/kg= ND**

***_p_-cresol-dicyclopentadiene-isobutylene, copolymer (FCM 732,Ref No.: 45450, CAS No.: 68610-51-5): SML mg/kg= 5**

- Analytic results (Annex IV, 7) are given in the **Test report No.: 20/70488, issued by NLZOH Maribor, date: 02.10.2020.**

- This material is used as single layer (Annex IV, 9).

Nazarje, 30 October 2020 (Annex IV, 4)

Kristina Petek (SI/TE-AP)
Approbation Department