RANGE	CODE	MODEL	FUNCTION
MI - 90	**MAMC0003780**	**FT94GRCST**	**Griddles**

ITEM

Gas griddle top with ribbed chromed matt plate



MARENO ALI Group Srl Società a Socio Unico:
Via Conti Agosti , 231 - 31010 Mareno di Piave (TV)
Capitale Sociale 50.000.000,00 i.v.

LAST UPDATE:

23/11/2023

RANGE	CODE	MODEL	FUNCTION
MI - 90	**MAMC0003780**	**FT94GRCST**	**Griddles**

ITEM

Gas griddle top with ribbed chromed matt plate



TECHNICAL SPECIFICATIONS

WIDTH (mm):	**400**
DEPTH (mm):	**920**
HEIGHT (mm):	**250**
WEIGHT (Kg):	**61**
VOLUME (m^3):	**0.25**
GAS POWER (kW):	**10.5**
COOKING ZONES N°:	**1**
COOKING ZONES DIM. (mm):	**335x700mm**
PRODUCT SPECIFICATIONS:	**Ribbed Matt Chromed Plate**
TEMP. RANGE (°C):	**90-280**


DESCRIPTION

Gas griddle in AISI 304 stainless steel. 20/10 pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Cooking surface with sloping ChromePlus super-tough easy-clean ribbed hotplate with brushed finish. Hotplate recessed 40 mm compared to worktop, fully welded construction for guaranteed ease of cleaning. Cooking surface with 65 mm cold zone at front of hotplate. Round Ø 40 mm drain hole for fat. Grease collection tub with 1.5 litre capacity. Heating by means of steel stabilised flame burner having 2 branches and 4 rows of flames for each zone, complete with pilot flame and safety thermocouple. Heating control knob shaped to prevent water infiltration. Gas supply controlled by thermostatic valve with safety thermocouple. Cooking temperature manually controlled from 90°C to 280°C. Automatic ignition by means of piezoelectric device with waterproof cap. Cooking surface 335x700 mm. Scraper supplied for smooth hotplate. The product complies with EC regulation 1935/2004 and Italian ministerial decree 21/03/1973 (Materials and Objects intended to come into contact with Food) MOCA.

RANGE	CODE	MODEL	FUNCTION
MI - 90	**MAMC0003780**	**FT94GRCST**	**Griddles**

ITEM

Gas griddle top with ribbed chromed matt plate



INSTALLATION SPECIFICATIONS

(G) Gas Inlet:	Ø1/2"