
GAMKO
The Refrigeration Experts
Product Selection Guide
Gamko.com
Made in the Netherlands
Click here for the contents


0% interest-free credit.
Nothing to pay for 3 months.
Zero hassle.
Spread the cost of our market-leading refrigeration with interest-free payments over 12 or 24 months. Plus there's nothing to pay for the first 3 months.
Find out more at gamko.com/IFC
FOSTER
GAMKO
The Refrigeration Experts

Front of House Refrigeration

Gamko's portfolio of commercial drinks refrigeration encompasses our unique blend of innovative spirit and precision engineering.

Gamko was founded over 60 years ago in a barn in the Netherlands, and since then we've revolutionised the professional drinks cooling industry.


Our interest-free credit offer allows you to spread payment over 12, 18 or 24 months, with no deposit, fees or catches! (UK only). Plus a three month payment holiday!

Innovation is at our core, like our award-winning +stayclear condenser - a great example of how we're always looking to raise the bar in refrigeration.

Our bar design experts are on hand to help you, with free site surveys and Flexbar designs to your specification.

Gamko are accredited to ISO 14001, the recognised international standard in Environmental Management Systems, and ISO 9001, the benchmark for Quality Management Systems.

We're part of ITW, a Fortune 250 company, a world leading manufacturer with a $2.6 billion food equipment division specialising in refrigeration, warewash, cooking and service - so whatever your need, ITW has you covered!



Gamko UK (a division of ITW Ltd)
Oldmedow Road
King's Lynn
Norfolk
PE30 4JU
United Kingdom

Sales
+44 (0)1553 780336
sales@foster-gamko.com

Gamko Worldwide
P.O. Box 274
4870 AG Etten-Leur
Mon Plaisir 75
4879 AL Etten-Leur
The Netherlands

Export sales
+44 (0)1553 780515
export@foster-gamko.com

Welcome to your **interactive** Gamko product selection guide.

To return to the contents
at any point, click on the Gamko logo on every page

Look out for the Gamko 'Play' buttons - these will launch bonus content

Bar design	6
Maxiglass bottle coolers	8
E3 undercounter bottle coolers	14
Flexbar modular bar system	18
Glass frosters	22
Counter top coolers and freezers	23
Keg coolers	24







Bar design

Your dream bar, designed exactly how you want it

We can advise you on the equipment you will need, the functionality, look and feel of the bar, and how to make it as energy efficient as possible, without compromising on quality.

A unique and tailored Gamko bar is characterised by:

- **Reliability** – peace of mind about the longevity of the cooling systems
- **Distinctiveness** – your bar has a stylish and recognisable look and feel
- **Functionality** – the bar design allows bar staff to be highly efficient and effective
- **Energy efficiency** – energy costs will be kept to a minimum
- **Repeat custom** – additional revenues through an experience that keeps your customers coming back






Hello Gorgeous
VECTRON
Hertog Jan



MAXIGLASS

With larger capacity, brighter lights and more energy saving features, the best just got better.

GAMKO

MAXIGLASS Bottle coolers

Chill more. See more. Save more.

- Market leading capacity on a minimal footprint - nearly 10% greater capacity compared to the previous market leading Maxiglass range.
- Vertical LED lights for a beautifully illuminated glass display area, encouraging impulse purchases.
- With up to 30% energy savings compared to the previous range, the MG3 is one of the greenest bottle coolers on the market.



Available in 3 heights, multiple widths and with hinged or sliding doors, meaning there's a Maxiglass to suit every need.

Innovative flat shelving design ensures no more 'wobbly' bottles, meaning effortless stocking and retrieval of drinks.

Superior storage capacity in its class. The MG3 range can store between 143 and 480 bottles!



Top mounted doors locks as standard for keeping your contents safe and secure.

Two dimmable vertical lights with even illumination to show the drinks in a desirable light, inspiring impulse purchases.

Upgraded low maintenance condenser design reduces the need to clean, and means your product doesn't have to work as hard.

The green machine

Our most popular Maxiglass products have a one piece fully foamed shell which significantly improves temperature performance, maintaining the cold air for longer, reducing your energy bills.



A view from the top

The controller is positioned at the top of the Maxiglass to avoid accidental damage, and drinks spillages from within the cabinet.



Space saving

When space is at a premium, why not choose a sliding door model?



Another bright idea

Maxiglass features a new vertical LED light per door section, so bright, we had to engineer a dimmer switch.



Introducing increased **Bottle capacity**

The Maxiglass range has outstanding capacity and can store between 143 and 480 bottles. Large capacity bottle coolers mean that you won't need to restock as often, saving time for your staff and limiting door openings.



MG3/150
181x 250ml bottles or
143x 330ml bottles

MG3/250
260x 250ml bottles or
225x 330ml bottles

MG3/275
370x 250ml bottles or
322x 330ml bottles

MG3/315
415x 250ml bottles or
366x 330ml bottles

MG3/300
310x 330ml bottles

MG3/500
480x 330ml bottles

The **MAXI**GLASS **range**

Hydrocarbon Refrigerant

At a glance

MG3/150 & LG3/150

Glass Doors



Solid Doors



MG3/250 & LG3/250





MG3/275





MG3/315 & LG3/315





MG3/300

Glass Doors



MG3/500



- All models available in anthracite or with a stainless steel door.
- All models available as sliding door, excluding MG3/150 and LG3/150.
- All models come with LED lighting, door locks as standard, auto defrost and adjustable shelving.
- The MG3/150 & 250 and LG3/150 & 250 models operate efficiently in high ambient temperatures of up to 43°C*.
- All models have an adjustable temperature range of +2/+18°C and are set at +6°C as standard.
- New upgraded & more ergonomically friendly solid door format.

*Rated suitable for high ambient operation (tested to 43°C / 60% RH complying with the temperature requirements prescribed in ISO 22044:2-2022). Excludes sliding door models.


Specifications

Undercounter configurations


MG3/150 & LG3/150


MG3/250 & LG3/250


MG3/275



MG3/315 & LG3/315

MG Dimensions (w* x d** x h***) mm	600 x 576 x 900/910mm	900 x 576 x 900/910mm	1200 x 576 x 900/910mm	1350 x 576 x 900/910mm
LG Dimensions (w* x d* x h***) mm	600 x 576 x 840/850mm	900 x 576 x 840/850mm	N/a	1350 x 576 x 840/850mm
Door configuration	Hinged	Hinged or sliding	Hinged or sliding	Hinged or sliding
Finish	Anthracite or s/steel front	Anthracite or s/steel front	Anthracite or s/steel front	Anthracite or s/steel front
Number of shelves	2	2	2	6
Electrical supply	1ph/13amp	1ph/13amp	1ph/13amp	1ph/13amp
Refrigerant	R600a	R600a	R600a	R600a
MG Energy Grade	B	C (MG3/250: B)	C	C
LG Energy Grade	B	C	-	C

*During installation add 10 mm to the total width for optimal airflow.
**Depth of the cabinet is excluding handgrip, including power supply connection.
***Height is adjustable.

Cabinet configurations


MG3/300


MG3/500

Dimensions (w* x d** x h***) mm	602 x 530 x 1805/1825mm	900 x 530 x 1805/1825mm
Door configuration	Hinged	Hinged or sliding
Finish	Anthracite or s/steel front	Anthracite or s/steel front
Number of shelves	5	5
Electrical supply	1ph/13amp	1ph/13amp
Refrigerant	R600a	R600a
Energy Grade	D	E

Available options

NB: Please specify all options required at the time of ordering


Wine shelves


Additional solid shelves

Levelling feet

These feet enable the product to be installed level on uneven floors, ensuring the product remains in position during operation and the height can be adjusted.



MAXIGLASS






GAMKO

Interest-free credit available over 24 months ZERO% (UK only)


Foster and Gamko Leasing.
Drinks refrigeration in smaller manageable payments.
How refreshing.
Lease our products over 3 or 5 years and take advantage of bitesize, 100% tax-deductible payments. Freedom and flexibility, without the capital outlay.
Find out more at gamko.com/leasing
FOSTER
GAMKO
The Refrigeration Experts


Groundbreaking capacity and exceptionally low energy usage is the backbone of our E3 range.
E3
GAMKO

E3 Bottle coolers

Enhanced storage capacity, superb energy efficiency



- With superior storage, one three door E3 can hold 127 more bottles than two standard two door bottle coolers, and all on a smaller footprint.
- The E3 range is available with drawers, a sleek addition which can make your bar easier for staff to use.
- Temperature range is adjustable from +2°C to +18°C giving you the flexibility to store white wines, red wines, beers and ciders.

TotalChill technology means there are no 'hot spots' so all bottles and kegs are cooled equally, and customers are consistently served cold drinks.

Superior storage capacity of up to 722 bottles – making 'bottling up' more efficient for bar staff and allowing for faster service.





Reduced energy usage – over 60% more energy efficient than our previous range meaning you aren't just saving money, you're also investing in an environmentally responsible product.

Powerful refrigeration system means you can fill the E3 up and drinks are at the right temperature for the next shift.

Add drawers to your E3 bottle cooler and you will not only create a practical bar layout, but also a sleek and ergonomic one!

Environmentally friendly

All our bottle coolers use environmentally friendly and energy efficient R600a hydrocarbon refrigerant.



Safe and secure

Locks come as standard on glass door models, and are optional for solid doors.



Refrigeration to suit you


Available as plug ready or remote.









Hydrocarbon Refrigerant

Specifications



Standard height configurations	E3/22MU84	E3/22VS84	E3/222MU84	E3/222VS84	E3/2222MU84	E3/2222VS84
Dimensions (w x d x h) mm	1434 x 512* x 840**/860-880***	1184 x 545* x 840**/860-880***	1988 x 512* x 840**/860-880***	1738 x 545* x 840**/860-880***	2542 x 512* x 840**/860-880***	2292 x 545* x 840**/860-880***
Storage Capacity (33ml bottles)	344	344	531	531	722	722
Plug ready or Remote	Plug ready	Remote	Plug ready	Remote	Plug ready	Remote
Energy Grade	B (Solid door); C (Glass door)	†	B (Solid door); C (Glass door)	†	B (Solid door); C (Glass door)	†

*Glass door anthracite finish models are fitted with an integrated handle which increases depth by 12mm **height without feet ***adjustable height

Available options



Lock for solid door and drawer



Additional solid metal shelf 511 x 348 mm




Optional drawers for E3

2 x 1/2 Drawers Anthracite
3 x 1/3 Drawers Anthracite
2 x 1/2 Drawers S/steel
3 x 1/3 Drawers S/steel

NB: Please specify all options required at the time of ordering

† Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown



FLEX**BAR**

The options are endless with our modular bar range, so you can have a bar unique to you.

GAMKO

FLEXBAR

Design your new bar just the way you want it.

- Flexbar allows you to have greater flexibility and choice. Whether you want a straight, curved or round bar, pass through segments or barista station, our experts can design your bespoke bar layout.

Hydrocarbon Refrigerant

Easy to assemble camlock system – reduces installation time so you can start using your Flexbar straight away.


Central electronic locking system (CELS) for securing the bar at the end of a shift.

Coloured and white EQUAL LED lighting – creates a unique atmosphere - you can even sync this to your sound system.

Our highly experienced team will be with you every step of the way, managing the project so you don't have to.

Over 140 modules to choose from, meaning that we can help you create your dream bar, unique to you. The options are endless, with different finishes, four temperature zones, drawers or doors!

Specialist designers create free bespoke drawings based on your specifications, so you can see your design come to life.



Creating your perfect bar in 5 simple steps

Follow our 5 easy steps to design a unique bar tailored to your space.

Step 1. Choose your design – with Flexbar, you can have straight, curved or custom










Step 2. Select your machine unit, spec and finish – do you want remote or integral? White and RGB lights and our CELS locking system? Anthracite or stainless steel?



Step 3. Add your refrigerated storage segments – choose between doors or drawers.



Step 4. Enhance your design with the finishing touches – endless customisation includes ambient storage, counter top coolers, glass frosters, barista and cocktail stations.




Step 5. Send your sketch or wish list to us – we'll design and price your dream bar.

Available options

FLEXBAR

– your bar, your way

Our Flexbar allows you to have greater flexibility and choice. Whether you want a straight, curved or custom bar, pass through segments or barista station, our experts can design your bespoke bar layout.





Curved Flexbar

Special insulated corner pieces are used when building a round or curved Flexbar configuration to allow the cold air through, and are precisely custom-made to the desired radius.



Flexbar eQuip

eQuip your bar with unique graphics to blend in or to stand out.



Pass throughs

Gamko have created pass through segments (with a door either side) so that the bar can be served from 2 sides. This means that the bar is used more creatively.

Glass frosters

Specially developed for rapid freezing of drinks glasses.

Hydrocarbon Refrigerant

- Ultra-efficient cooling system, within a few minutes you will have access to frozen glasses.
- Helps make a showpiece of your bottles and glasses!

Attractive display

Anti condensation technology prevents condensation and provides an attractive display of bottles of spirits and liqueur.





Stainless steel finish with glass or solid door.

Anthracite finish with glass or solid door.



Award-winning

+STAYCLEAR SC

Our award-winning condenser – revolutionising the efficiency of refrigeration. Fitted to our plug ready glass frosters as standard.

Specifications



GF3/100

Dimensions (w x d x h) mm	600 x 538 x 840/880*
Pint glass capacity	50
Finish	Anthracite or stainless steel
Adjustable shelves	2
Temperature	-10/-14°C

* Adjustable height

Counter top coolers & freezers

Convenient coolers and freezers suitable for counter top or insetting into the counter.

- Plug ready and ideal for serving chilled wine, liqueur or spirits by the glass, at a constant temperature.
- The cooler provides a good view of the bottles from above. As a result you can conveniently and quickly see what you are looking for to ensure smooth service behind the bar.

Hydrocarbon Refrigerant



Specifications


VKHC/10


VKHC/12

Dimensions (w x d x h) mm	510 x 423 x 253	458 x 373 x 490
1L bottle capacity	10	12
Refrigerator +4/+8°C	VKHC/10R	VKHC/12R
Freezer -8°C/-12°C	VKHC/10F	VKHC/12F



Flexibility

The VKHC/10 model can be built-in or built-on to the worktop and has a maximum capacity of 10 bottles. The VKHC/12 model has been developed to be built into the work top and has a capacity of 12 bottles.

Keg Coolers

Quickly achieve the correct beer temperature and best taste experience.

- Premium quality range of plug ready undercounter keg coolers and modular keg coolers

Concealed installation

The panel construction keg coolers are specially developed for concealed installation and/ or in difficult-to access places.



Plug ready (no separate condensing unit required).

Can be fitted under a tap and python lines can be inserted on models with machine units on right and left.





A Gamko machine unit is always fitted on top of a modular cooler for **optimal distribution of cold air.**

Panel construction keg coolers are supplied as **ready-to-assemble panels.**

Hydrocarbon Refrigerant

Plug Ready Specifications


FK2-25/4


FK2-25/6


FK2-25/8


Dimensions (w x d x h) mm	880 x 567 x 860/880*	1110 x 567 x 860/880*	1350 x 567 x 860/880*
Keg capacity	4 x 20L (Ø 240mm) or 1 x 50L (Ø 423mm)	6 x 20L (Ø 240mm) or 1 x 50L (Ø 423mm) & 2 x 20L (Ø 240mm)	2 x 50L (Ø 423mm) or 8 x 20L (Ø 240mm)
Adjustable temperature range 0/+7°C	FK2-25/4	FK2-25/6	FK2-25/8


* Adjustable height


Modular Specifications


FK/MU


FK/4


FK/6


FK/8


FK/10

Dimensions (w x d x h) mm	627 x 523 x 335	1060 x 978 x 1080/1100	1464 x 978 x 1080/1100	1870 x 978 x 1080/1100	2200 x 978 x 1080/1100
Keg capacity	-	4 x 50L or 8 x 30L	6 x 50L or 12 x 30L	8 x 50L or 16 x 30L	10 x 50L or 20 x 30L
Adjustable temperature range +1/+18°C	FK/MU (Machine unit)	FK/4 (Panel set)	FK/6 (Panel set)	FK/8 (Panel set)	FK/10 (Panel set)



Bringing the showroom to you

Wondering how the keg cooler would look in a real bar environment?
View our immersive showroom today at
gamko.com/showroom



GAMKO

Gamko
Oldmedow Road
King's Lynn
Norfolk
PE30 4JU
UK

Tel: **+44 (0)1553 691122**
E-mail: **info@foster-gamko.com**

gamko.com

division of ITW

Product Selection Guide Gamko Dec 2021
Literature Code: 2258